

BUSCK

Mått

CMB CMBIS	A	C	E	G	H	I	K	KE	a2	L	M	N	N1	O	P	Q	R	S	U	V
402	70	100	121,5	154,5	50	245	60	4-M6x11	45°	73	75	60	71	6,5	87	55	71,5	6,5	151,5	35
502	80	120	144	165,5 ¹	60	23	70	4-M8x12	45°	87	85	70	85	8,5	98	64	84	7	162,5	40
175,5 ²																				
633	100	144	174	241	72	0	85	7-M8x15	45°	106	95	80	104	8,5	110	80	102	8	233	50
903	140	206	238	287	103	0	100	7-M10x20	45°	134	130	110	130	13	160	102	135	11	279,5	70
1103	170	255	295	277,5	127,5	30	115	7-M10x19	45°	148	165	130	145	14	200	125	167,5	14	256,5	85







¹ IEC 56/63/71² IEC 80

CMB CMBIS	Ingående axel					Utgående hållaxel					CMB	CMBIS
	D1	E1	F1	G1	T1	D2	F2	G2	b	t		
	j6					H8						
402	14	30	5	M6	16	18	26	78	6	20,8	3,4	3,5
502	14	30	5	M6	16	25	30	92	8	28,3	4,7 ¹	4,8
633	16	40	5	M6	18	25	35	112	8	28,3	9,5	9,2
903	19	40	6	M6	21,5	35	45	140	10	38,3	18,4	18,1
1103	28	60	8	M10	31	42	50	155	12	45,3	50	50,3


CMB CMBIS		fläns utgångssida																										
		F									FL									FB								
		a1	KA	KB	KC	KM	KN	KO	KP	KQ	a1	KA	KB	KC	KM	KN	KO	KP	KQ	a1	KA	KB	KC	KM	KN	KO	KP	KQ
		H8									H8									H8								
402	45°	67	7,5	4,5	80-95	60	9	110	95	45°	97	7,5	4,5	80-95	60	10	110	95	45°	80	8,5	5	115-125	95	9,5	140	112	
502	45°	90	9	5	90-110	70	11	125	110	45°	120	9	5	90-110	70	11	125	110	45°	89	9	5	130-145	110	9,5	160	132	
633	45°	82	10	6	150-160	115	11	180	142	45°	112	10	8	150-160	115	11	180	142	45°	98	11	5	165	130	11	200	160	
903	45°	111	13	6	175-188	152	14	210	200																			
1103	45°	131	15	6	230	170	14	280	260																			

BUSCK


CMB.. – CMBIS.. Mått



CMBIS..





Utgående hållaxel



BUSCK


Tillbehör



Utgående axel									
CMB	d	B	B1	G1	L	L1	f	b1	t1
CMBIS	h7								
402	18	40	43	78	128	164	M6	6	20,5
502	25	50	535	92	153	199	M10	8	28
633	25	50	535	112	173	219	M10	8	28
903	35	80	845	140	234	309	M12	10	38
1103	42	80	845	155	249	324	M16	12	45

Momentarm					
CMB	CMBIS	K1	G	KG	KH
402		100	14	31	10
502		100	14	38	10
633		150	14	47,5	10
903		200	25	56,5	20
1103		250	30	62	25

SC – Skyddslock



SC skyddslock	
CMB	CMBIS
402	54,5
502	62,5
633	73
903	94
1103	102