


BUSCK

Mått CMG012

FOT




Fot	P	Q	R	S	U	V	X	Z
H75	18	80	118	9	110	12	75	140
H85*	18	50 + 37	118	9	110	12	85	130
H90	25	130	154	9	110	12	90	135
H80	25	85	120	9	120	12	80	140
H100	18	60 + 47.5	135	11	130	12	100	155


* Busck standard

¹ CMG013 268 mm. ² CMG013 112 mm. I övrigt samma mått som CMG012

FLÄNS




UTAN FLÄNS



Fläns	L	M	N	O	H	K	Vikt kg
F120	120	100	80	9	3	9	0,5
F140	140	115	95	9	3,5	9	0,8
F160	160	130	110	9	3,5	9	1,1
F200	200	165	130	11	3,5	11	1,8



Typ	Vikt kg
CMG012	5,3
CMG013	7,8

Utgående axel 20 mm. Kan även fås med axel 16 eller 25 mm. Normalt lagerhålls endast 20 mm.

BUSCK**Mått CMG022****FOT**

fot	P	Q	R	S	U	V	X	Z
H75	18	80	118	9	110	12	75	140
H85	18	50 + 37	118	9	110	12	85	130
H90*	25	130	154	9	110	12	90	135
H80	25	85	120	9	120	12	80	140
H100*	18	60 + 47,5	135	11	130	12	100	155

* Busck standard (Två varianter)

¹ CMG023 278 mm. ² CMG023 117 mm. I övrigt samma mått som CMG022**FLÄNS****UTAN FLÄNS**


fläns	L	M	N	O	H	K	Vikt kg
F120	120	100	80	9	3	9	0,5
F140	140	115	95	9	3,5	9	0,8
F160	160	130	110	9	3,5	9	1,1
F200	200	165	130	11	3,5	11	1,8

Typ	Vikt kg
CMG022	6,2
CMG023	8,7

Utgående axel 25 mm.

BUSCK

Mått CMG032




fot	P	Q	R	S	U	V	X	Z
H110	30	100	150	11	150	14	110	185
H110	18	70	150	11	160	14	110	185
H115*	30	165	195	14	135	14	115	170
H120	35	110	160	14	170	14	120	210


* Busck standard

¹ CMG033 303 mm. I övrigt samma mått som CMG032

FLÄNS




UTAN FLÄNS




Fläns	L	M	N	O	H	K	Vikt kg	Typ	Vikt kg
F160	160	130	110	9	3,5	11	1,1	CMG032	11,3
F200	200	165	130	11	3,5	11	1,8	CMG033	13,6
F250	250	215	180	14	4	13	2,9		

Utgående axel 30 mm.

Mått CMG042




¹ CMG043 316 mm. I övrigt samma mått som CMG042.



Utgående axel 35 mm.

BUSCK**CMG01 Jämförelse med andra fabrikat**


Fabrikat	Produkt	M2 max (Nm)	i min	i max	Radiell last (N)	Vikt kg
BUSCK	CMG01	120	3,82	53,33	2500	5,3 Aluminium
MOTOVARIO	HA32	95	5,38	60,67	2000	4,9 Aluminium
BONFIGLIOLI	C112	100	2,8	66,2	2000	6,2 Aluminium
BONFIGLIOLI	C052	50	5,5	40,3	700	9 Aluminium
BONFIGLIOLI	AS16	50	5,53	44,73	800	3,4 Aluminium
BONFIGLIOLI	AS20	80	5,49	49,52	2400	6,4 Aluminium
HYDROMEC	302A	85	3,44	61,89	1900	3,7 Aluminium
HYDROMEC	202A	70	3,44	61,89	1900	4 Aluminium
SEW	R27	130	3,37	28,3	2940	6,5 Aluminium
STM	AM40	105	8,5	30,6	2700	9 Aluminium
SITI	MHL20	70	4,35	49,14	1800	4,5 Aluminium
VARVEL	FRD12	100	2,53	61,67	2000	4,8 Aluminium
WATT	HU40A,S	100	3,82	62,22		7,1 Aluminium



Fabrikat	Produkt	D2	E2	LM	B	X	P	Q	S	U	Z	NxMxL
BUSCK	CMG01	20 (16-25)	40 (40-50)	195	93	75	18	80	9	110	140	80x100x120
						85	18	50+37	9	110	130	95x115x140
						90	25	130	9	110	135	110x130x160
						80	25	85	9	120	140	130x165x200
						100	18	60+47,5	11	130	155	
MOTOVARIO	HA32	20	40	173 204	80	75	18	80	9	110 120	145	80x100x120 95x115x140
BONFIGLIOLI	C112	20	40	204 224	56	85	18	50+37	9	110	130	80x100x120 95x115x140 110x130x160
BONFIGLIOLI	C052	16	40		61	85	18	50	9	110	135	95x115x140
BONFIGLIOLI	AS16	16	40	130	61	85	18	50	9	110	135	95x115x140
BONFIGLIOLI	AS20	20	40	160	73	100	18	60	11	130	155	110x130x160
HYDROMEC	302A	20	40	152	40	75	18	50+60	9	110	130	80x100x120
						85	18	50+37	9	110	130	95x115x140
						80	13	76	9	105	132	110x130x160
						100	18	60+47,5	11	130	155	130x165x200
						75	18	50+60	9	110	130	80x100x120
HYDROMEC	202A	16	40	143		85	18	50+37	9	110	130	95x115x140
						80	13	76	9	105	132	110x130x160
						100	18	60+47,5	11	130	155	130x165x200
SEW	R27	25	50			90	25	130	9	110	151	80x100x120 95x115x140 110x130x160
STM	AM40	20	40			80	18	85	9,5	110	140	80x100x120
		(19)	(40)									95x115x140
		(25)	(50)									110x130x160 130x165x200
SITI	MHL20	20	40			75	18	50	9	110	132	
VARVEL	FRD12	20	40	151	56	75	18	110	9	110	135	80x100x120 95x115x140 110x130x160
WATT	HU40A,S	20	40		59	82	20	50	9	80	100	80x100x120 95x115x140 130x165x200

BUSCK**CMG02 Jämförelse med andra fabrikat**


Fabrikat	Produkt	M2 max (Nm)	i min	i max	Radiell last (N)	Vikt kg
BUSCK	CMG02	200	3,66	54	5000	6,2 Aluminium
MOTOVARIO	H030	200	4,4	45,2	5500	10,1 Gjutjärn
MOTOVARIO	HA42	150	5,3	60,6	4300	6,1 Aluminium
BONFIGLIOLI	C212	200	2,7	63,3	5000	8,2 Aluminium
BONFIGLIOLI	AS25	160	5,02	49,04	2260	14 Gjutjärn
HYDROMEC	402A	150	3,52	62,97	3000	5,9 Aluminium
SEW	R37	200	3,41	28,3	4950	15 Gjutjärn
NORD	SK12	165	2,96	21,28	4000	19 Gjutjärn
FLENDER	D/Z38	220	4,77	44,12	4500	16 Gjutjärn
STM	AM50	216	6,3	29,8	4300	13 Gjutjärn
SITI	NHL25	160	1,9	49,12	4000	15,5 Gjutjärn
VARVEL	FRD22	200	2,55	62,13	3200	7,9 Aluminium
WATT	HU50A,S	180	2,95	75,56		11,5 Gjutjärn



Fabrikat	Produkt	D2	E2	LM	B	X	P	Q	S	U	Z	NxMxL
BUSCK	CMG02	25	50	205	98	80	25	85	9	120	140	80x100x120
						100	18	60+47,5	11	130	155	95x115x140
						75	18	80	9	110	140	110x130x160
						85	18	50+37	9	120	130	130x165x200
						90	25	130	9	130	135	
MOTOVARIO	H030	25	50	231	79	90	25	130	11	110	140	95x115x140
										120		110x130x160
												130x165x200
MOTOVARIO	HA42	25	50	211	80	80	25	85	9	110/120	145	95x115x140
												110x130x160
BONFIGLIOLI	C212	25	50	242	66	100	18	60+47,5	11	130	155	95x115x140
												110x130x160
												130x165x200
BONFIGLIOLI	AS25	25	50	169	80	110	18	70	11	160	190	130x165x200
HYDROMEC	402A	25	50	181	82	80	25	85	9	110/120	145	80x100x120
						100	18	60+47,5	11	130	155	95x115x140
						75	18	85	10	110	145	110x130x160
						85	18	50+37	9	110	130	130x165x200
						90	25	130	9	110	145	
SEW	R37	25	50			90	25	130	9	110	145	80x100x120
												110x130x160
												130x165x200
NORD	SK12	25	50			102	28	62	9	105	135	
FLENDER	D/Z38	25	50			90	25	130	9,8	110	163	
STM	AM50	25	50			90	25	130	9,5	110	145	80x100x120
												110x130x160
												130x165x200
												180x215x250
SITI	NHL25	25	50			90	25	130	9	110	175	
VARVEL	FRD22	25	50	192	68	90	25	130	9	110	140	95x115x140
												110x130x160
												130x165x200
WATT	HU50A,S	25	50		70	100	40	50	9	95	115	80x100x120
												110x130x160
												130x165x200

BUSCK**CMG03 Jämförelse med andra fabrikat**


Fabrikat	Produkt	M2 max (Nm)	i min	i max	Radiell last (N)	Vikt kg
BUSCK	CMG03	300	3,74	51,3	6500	11,3 Aluminium
MOTOVARIO	H040	300	5,1	51,9	6600	13 Gjutjärn
MOTOVARIO	HA52	300	5,1	61,8	6000	14,1 Aluminium
BONFIGLIOLI	C312	300	2,9	66,8	5500	15 Aluminium
BONFIGLIOLI	AS25	160	5,02	49,04	2260	14 Aluminium
BONFIGLIOLI	AS30	320	5,11	36,82	3300	23 Gjutjärn
HYDROMEC	502A	320	3,61	60,9	5000	11,9 Aluminium
SEW	R47	300	3,83	33,79	5420	19 Gjutjärn
NORD	SK22	312	2,79	16,75	5600	31 Gjutjärn
FLENDER	D/Z38	220	4,77	44,12	4500	16 Gjutjärn
SITI	NHL30	350	2,25	48,76	5500	26 Gjutjärn
VARVEL	FRD32	400	2,70	63,33	5000	13,5 Aluminium
WATT	HU55A	270	5,98	80,81		16 Aluminium



Fabrikat	Produkt	D2	E2	LM	B	X	P	Q	S	U	Z	NxMxL
BUSCK	CMG03	30	60	237	118	110	30	100	11	150	185	110x130x160
						110	18	70	11	160	185	130x165x200
						115	30	165	14	135	170	180x215x250
						120	35	110	14	170	210	
MOTOVARIO	H040	30	60	242	74	115	30	165	14	135	170	95x115x140
												110x130x160
												130x165x200
MOTOVARIO	HA52	30	60	247	108	110	30	100	11	135/150	190	110x130x160
												130x165x200
BONFIGLIOLI	C312	30	60	277	71	110	18	70+60	11	160	190	110x130x160
												130x165x200
												180x215x250
BONFIGLIOLI	AS25	25	50	168	80	110	18	70	11	160	190	130x165x200
BONFIGLIOLI	AS30	30	60	224	90	130	20	105	14	180	215	180x215x250
HYDROMEC	502A	30	60	234	102	110	30	100	11	1	190	110x130x160
						110	18	130	11	160	190	130x165x200
						115	30	165	13,5	135	170	180x215x250
SEW	R47	30	60			115	30	165	13,5	135	170	95x115x140
												110x130x160
												130x165x200
NORD	SK22	30	60			125	14	80	11	160	185	
FLENDER	D/Z38	25	50			90	25	130	9,8	110	163	
		30	60									
SITI	NHL30	30	60			115	30	165	14	135	200	
VARVEL	FRD32	30	60	222	83	115	30	165	11,5	135	173	110x130x160
												130x165x200
												180x215x250
WATT	HU55A	30	60		61	108	45	50	11	110	130	110x130x160
												130x165x200
												180x215x250

BUSCK**CMG04 Jämförelse med andra fabrikat**

Fabrikat	Produkt	M2 max (Nm)	i min	i max	Radiell last (N)	Vikt kg
BUSCK	CMG04	500	3,74	51,3	8000	13,2 Aluminium
MOTOVARIO	H050	500	5,7	56,1	8000	18,3 Gjutjärn
MOTOVARIO	HA62	500	5,1	61,8	8000	16,5 Aluminium
BONFIGLIOLI	C352	450	2,7	19	6500	21,8 Aluminium
BONFIGLIOLI	C412	600	2,7	44,8	7000	28 Aluminium
BONFIGLIOLI	AS35	480	5,11	36,82	7200	24 Gjutjärn
HYDROMEC	602A	460	3,61	60,9	6500	14,5 Aluminium
SEW	R57	450	4,39	26,31	7110	23 Gjutjärn
NORD	SK32	608	2,83	30,43	7000	42 Gjutjärn
FLENDER	D/Z48	450	4,28	51,28	8450	26 Gjutjärn
STM	AM60	460	7,9	32,3	6500	20 Gjutjärn
SITI	NHL35	510	5,12	45,95	7000	28 Gjutjärn
VARVEL	FRD42	650	2,49	62,96	8000	20 Aluminium



Fabrikat	Produkt	D2	E2	LM	B	X	P	Q	S	U	Z	NxMxL
BUSCK	CMG04	35	70	250	128	120	35	110	14	170	210	110x130x160
						110	30	100	11	150	185	130x165x200
						110	18	70	11	160	185	180x215x250
						115	30	165	14	135	170	
MOTOVARIO	H050	35	70	292	77	115	30	165	13,5	135	185	110x130x160 130x165x200
MOTOVARIO	HA62	40	80	256	118	120	35	110	14	170/185	230	130x165x200 180x215x250
BONFIGLIOLI	C352	35	70	271	91	115	21	130	14	170	205	130x165x200 180x215x250
BONFIGLIOLI	C412	35	70	297	91	130	20	150	14	180	216	130x165x200 180x215x250
BONFIGLIOLI	AS35	35	80	224	90	130	20	105	14	180	215	180x215x250
HYDROMEC	602A	35	70	252	103	120	35	110	14	170/185	230	110x130x160
						115	30	165	13,5	165	170	130x165x200
						130	20	150	14	180	216	180x215x250
SEW	R57	35	70			115	30	165	13,5	135	190	110x130x160 130x165x200 180x215x250
NORD	SK32	40	80			155	16	120	13	185	210	
FLENDER	D/Z48	30	60			115	30,5	165	13,5	135	220	
		40	80									
STM	AM60	30	60			115	30	165	14	135	185	110x130x160
		(28)	(60)									130x165x200
		(35)	(70)									180x215x250
SITI	NHL35	35	70			115	30	165	14	135	200	
VARVEL	FRD42	35	70	268	92	130	30	195	13,5	150	195	130x165x200
												180x215x250
												230x265x300